

316

Notice of Allowability	Application No.	Applicant(s)	
	10/790,083	OTSUKA ET AL.	
	Examiner	Art Unit	
	Elizabeth Keaney	2882	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to election filed 1/11/06.
2. ☒ The allowed claim(s) is/are 1-4.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☒ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|---|
| <ol style="list-style-type: none">1. <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | <ol style="list-style-type: none">5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance9. <input type="checkbox"/> Other _____ |
|---|---|

DETAILED ACTION
EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with James Slattery on 3 March 3 2006.

The application has been amended as follows:

- Claims 5 and 6 have been cancelled.

Allowable Subject Matter

The following is an examiner's statement of reasons for allowance: The best prior art discloses a glass bulb for use in a cathode ray tube comprising a face part having a fluorescent film, wherein the face part comprises contaminants. However, the prior art fails to teach or fairly suggest a glass bulb for a cathode ray tube wherein the face part contains no contaminants having an effective diameter of W of at least a defective reference value from 0.15 mm to 0.35 mm and a region extending from the

Art Unit: 2882

surface of the fluorescent film in the light-travel direction, which is located within a reference depth from 2.6 mm to 4.0 mm and only contains contaminant having an effective diameter W of at most a measurement reference value of 0.07 mm to 0.15 mm, as claimed in claim 1. Claims 2-4 are allowed by virtue of their dependency.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

- US Patents 6,865,909, 6,844,669, and 6,607,999 disclose the current state of the art.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Elizabeth Keaney whose telephone number is (571)272-2489. The examiner can normally be reached on Monday, Tuesday, Thursday, Friday 7:30-6:00.

Art Unit: 2882

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ed Glick can be reached on (571)272-2490. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Elizabeth Keaney
Examiner
Art Unit 2882



EDWARD J. GLICK
SUPERVISORY PATENT EXAMINER